L Number	Hits	Search Text	DB	Time stamp
1	95	(method and access\$4 and (open adj proce\$5) and (memory with map\$5) and register and interfac\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/29 12:53
2	74	(method and access\$4 and (open adj proce\$5) and (memory with map\$5) and register and interfac\$5) and @ad<20000801	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/29 12:54
3	69	(method and access\$4 and (open adj proce\$5) and (memory with map\$5) and register and interfac\$5) and @ad<19990909	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/29 11:55
4	0	(method and access\$4 and (open adj proce\$5) and (memory with map\$5) and register and interfac\$5).ab. and @ad<19990909	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/29 11:55
5	0	(method and access\$4 and (open adj proce\$5) and (memory with map\$5) and register and interfac\$5).clm. and @ad<19990909	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/29 11:55
6	0	(method same access\$4 same (open adj proce\$5) same (memory with map\$5) same register same interfac\$5) and @ad<19990909	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/29 12:01
7	1	<pre>(operation same application same simultaneous\$2 same allocat\$4 same (os or (operating adj system))).ab.</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/29 12:02
8	1	(operation same application same simultaneous\$2 same allocat\$4 same (os or (operating adj system))).ab. and @ad<19990909	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/29 12:03
9	45	(operation same application same simultaneous\$2 same allocat\$4 same (os or (operating adj system))) and @ad<19990909	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/29 12:54
10	4	(operation same application same simultaneous\$2 same allocat\$4 same (os or (operating adj system))) and @ad<19990909 and (map\$5 with memory)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/29 12:04
11	4	(operation same application same simultaneous\$2 same allocat\$4 same (os or (operating adj system))) and @ad<19990909 and (map\$5 with memory) and (point\$5 or (physical adj address\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/29 12:04
12	4	(operation same application same simultaneous\$2 same allocat\$4 same (os or (operating adj system))) and @ad<19990909 and (map\$5 with memory) and (point\$5 or	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/29 12:06
13	2	(physical adj address\$3) or dma) (operation same application same simultaneous\$2 same allocat\$4 same (os or (operating adj system))) and @ad<19990909 and (map\$5 with memory) and (point\$5 or (physical adj address\$3)) and dma	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/29 12:07

## BEST AVAILABLE COPY

15	7	(allocat\$5 same context same identif\$5 same (os or (operat\$4 adj system)) same request\$4) and @ad<19990909	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/29 12:10
16	16	(map\$3 same memory same context same identif\$5 same register) and @ad<19990909	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/29 12:54
17	0	(map\$3 same memory same context same identif\$5 same register) and @ad<19990909 and (allocat\$4 with (process\$3 or unprocess\$4 or pending) with request\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/29 12:18
18	2	(map\$3 same memory same context same identif\$5 same register).ab. and @ad<19990909	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/29 12:22
19	0	<pre>((open adj proce\$5) with (device or interface) with request\$4) and ((unprocess\$4 or pending or process\$4) with (register or (context adj identif\$5))) and (request\$4 with stor\$4) and @ad&lt;19990909</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 12:48
20	183	<pre>((open adj proce\$5) and (device or interface) and request\$4) and ((unprocess\$4 or pending or process\$4) and (register or (context adj identif\$5))) and (request\$4 and stor\$4) and @ad&lt;19990909</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 12:54
21	0	<pre>(((open adj proce\$5) and (device or interface) and request\$4) and ((unprocess\$4 or pending or process\$4) and (register or (context adj identif\$5))) and (request\$4 and stor\$4)).clm. and @ad&lt;19990909</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 12:55
22	0		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 12:49
23	1	I	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 12:54
24	1	l	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 12:55
26	1	(map\$3 same memory same context same identif\$5 same register) and @ad<19990909 and (710/5.ccls. or 710/29.ccls. or 710/33.ccls. or 711/100.ccls. or 711/200.ccls. or 712/405.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 12:55
27	2	((open adj proce\$5) and (device or interface) and request\$4) and ((unprocess\$4 or pending or process\$4) and (register or (context adj identif\$5))) and (request\$4 and stor\$4) and @ad<19990909 and (710/5.ccls. or 710/29.ccls. or 711/200.ccls. or 711/100.ccls. or 711/200.ccls. or 712/405.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 12:56

28	0	(((open adj proce\$5) and (device or	USPAT;	2004/07/29
		interface) and request\$4) and	US-PGPUB;	12:56
		((unprocess\$4 or pending or process\$4)	EPO; JPO;	
		and (register or (context adj	DERWENT;	
		identif\$5))) and (request\$4 and	IBM TDB	
		stor\$4)).clm. and @ad<19990909 and	_	
		(710/5.ccls. or 710/29.ccls. or		
		710/33.ccls. or 711/100.ccls. or		
		711/200.ccls. or 712/405.ccls.)		
25	2	(operation same application same	USPAT;	2004/07/29
		simultaneous\$2 same allocat\$4 same (os or	US-PGPUB;	12:56
		(operating adj system))) and @ad<19990909	EPO; JPO;	
		and (710/5.ccls. or 710/29.ccls. or	DERWENT;	
		710/33.ccls. or 711/100.ccls. or	IBM_TDB	
		711/200.ccls. or 712/405.ccls.)		